


EMTEK®

Distinctive hardware for fine homes.



Arts & Crafts
with Hammer Lever



Lafayette
with Lafayette Lever



Octagon
with Octagon Knob



Ribbon & Reed
with Ribbon & Reed Knob



Marietta
With Cortina Lever



Art Nouveau
With Art Nouveau Knob



Melrose
With Melon Knob



Orleans
With Oval Beaded
Egg Knob



AVAILABLE FINISHES

	STYLE	TYPE	Bright Brass	Antique Brass	Antique Nickel	Satin Nickel	Aged Bronze	Lifetime Finish	Smart Key™
SCHLAGE	Plymouth	Handle	■			■	■	■	
	Monaco	Handle	■			■	■	■	
	Camelot	Handle	■			■	■	■	
	Camelot	Keyless	■			■	■	■	
	Georgian	Combo	■	■		■	■	■	
	Accent	Lever	■			■		■	
	Plymouth	Combo	■			■	■	■	
DEXTER	Byron	Combo	■						
	Paris	Handle	■			■			
KWIKSET	Chelsea	Handle	■	■	■	■			■
	Hancock	Combo	■	■	■	■			■
	Lido	Lever	■	■	■	■			■
	Delta	Lever	■	■	■				■



SMARTKEY™ is available in the four styles shown below.



Specialty Hardware Options



Standard
Brass Knocker




Satin Nickel
Knocker
w/Peep Sight




Standard
Brass Knocker
w/ Peep Sight



Mail Slot
Opening Size: 1-1/2" X 7-1/2"



Magazine Slot
Opening Size: 2-1/4" X 11"



Wide Angle
Peep Sight



Spring Hinge



Kickplate

Home Guard® offers a number of hardware choices to add the finishing touches of beauty and functionality to your door. Optional door knockers, mail and magazine slots, kickplates and decorative or spring hinges are available for added security, utility and beauty. See your Home Guard® representative for a full selection of options and available finishes.



Medium: Up to 40 lbs

Freedom Aluminum Petdoor

Pets crave freedom.

This door gives your pet all the freedom he needs. This solid aluminum frame installs easily and the soft, transparent single flap provides a tight weather seal. The Freedom Aluminum door includes a locking panel that gives you the power to control when your pets can use the door.

PRODUCT FEATURES

- Solid aluminum construction
- Locking panel
- Color: White
- Transparent single flap for weather-tight seal
- Easy do-it-yourself installation
- Fits doors from 3/8" to 2" thick



Large: Up to 100 lbs